



التاريخ 2021/02/25

قرار إحالة مبدئية صادر عن لجنة العطاءات المركزية

بخصوص العطاء رقم 2020/106

توريد أجهزة حواسيب وملحقاتها لصالح وزارة الصحة

في يوم الخميس الموافق 2021/02/25 وفي تمام الساعة الحادية عشر صباحاً اجتمعت اللجنة المكونة من الأخوة الأعضاء التالية أسماؤهم:



- |   |                            |
|---|----------------------------|
| رئيساً . لجنة العطاءات المركزية             | 1. السيد / أحمد حسن الشنطي |
| عضواً . لجنة العطاءات المركزية              | 2. السيد / جبر حجازي       |
| عضواً . لجنة العطاءات المركزية              | 3. السيد / أيمن الخالدي    |
| عضواً . لجنة العطاءات المركزية              | 4. السيدة / فاطمة عوض      |
| عضو مراقب - ديوان الرقابة الإدارية والمالية | 5. السيد / إيهاب الرئيس    |

وذلك في مقر الإدارة العامة للوزم بوزارة المالية في غزة للبت في العطاء

رقم 2020/106

توريد أجهزة حواسيب وملحقاتها لصالح وزارة الصحة

تم إطلاع اللجنة على فتح المظاريف و محضر اللجنة الفنية ،،،





No	Item	Specification	U	Q.	Price\$	Notes	الجدول
4	Tablet 8 inch or higher	<p>Samsung Galaxy Tab A 8 inch or higher 2019-2020 <b>SMT 295</b></p> <p>Operation system: Android 9.0 (Pie)</p> <p>Support 2G,3G,4G Network technology</p> <p>SIM : Support SIM</p> <p>Processor: Quad Core , Qualcomm Snapdragon 429 ARM Cortex-A53 at 1.9 GHz</p> <p>Graphic: Qualcomm Adreno 504 RAM:2 GB</p> <p>Storage: 32 GB Expandable by SD to 512 GB</p> <p>SD card: Yes micro SD , micro SDHC, micro SDXC</p> <p>Language: Multi Language (Includes Arabic and English)</p> <p>Play Store: Yes Features: TFT -Definition: WXGA</p> <p>Resolution:800 x 1280 pixels Density:189 ppi</p> <p>CAMERA Secondary camera:2 MP - Primary camera:8 MP - WIFI</p> <p>GPS:GPS, A-GPS, GLONASS,</p> <p>USB : Micro USB NFC : Yes Inches: 8 "</p> <p>Size:124.4 x 210 x 8 mm Weight:345 g</p> <p>BATTERY Capacity:5100 mA</p> <p>Included: 1 xCable micro USB1 Year Full Warranty -1 x Original Case and stand</p> <p>1 x in-ear headphones -1 x original charger</p> <p>1 x protected glass for screen -1 year full warranty .</p>	عدد	15	169	أرخص المطابق	جدول رقم 1 حوسبة المستشفى التركي



State Of Palestine

Ministry of finance

The Central Tenders Committee

دولة فلسطين

وزارة المالية


لجنة العطاءات المركزية

No	Item	Specification	U	Q.	Price\$	Notes	الجدول
9	Thermal Printer	<p><b>SPRT POS 88vmf Thermal Printer</b></p> <p>Parameter: Printing Method : Thermal Line Resolution : Thermal Line 8 dots/mm Printing Speed : 250 mm/s (Max) Effective Printing Width : 72 mm TPH : 100km Paper Width : 79.5±0.5mm Paper Type : Normal Thermal Paper/ Blackmark Paper Paper Size : Max 80 mm×Ø80mm Paper Thickness : 0.06mm ~ 0.08mm Paper Supply Method : Drop-in easy paper loading Print Font : Codepage; ANK: 9 x17 / 12 x24; Chinese: 24x24 Barcode : 1D: UPC-A, UPC-E, EAN-13, EAN 8, CODE39, ITF25, CODABAR, CODE93, CODE128 2 D: PDF417, QRCODE, Data Matrix Interface :RS232/USB/Ethernet Power supply : DC24V±10%, 2A thermal paper included 30 Role according to sample Included: CD Driver Cable Network cat 6A ftp 2m USB printer Cable 2m - Warranty: 1 Year full warranty</p>	عدد	3	148	أرخص المطابق فوري	جدول رقم 1 حوسبة المستشفى التركي

الصفحة 3 من 31

غزة- تل الهوا - بالقرب من محطة فارس للبترول فاكس رقم 082832761

www.mof.gov.ps




The Central Tenders Committee

No	Item	Specification	U	Q.	Price\$	Notes	الجدول
21	POE-Switch 8port	Switch 8 ports POE " nets" (8) Gigabit RJ45 Ethernet Ports note: the switch must operate the Unifi LR and IP telephone 2 Year Full Warranty	عدد	2	110	الأرخص والمطابق	جدول رقم 1 حوسبة المستشفى التركي
12	POE-Switch 8port	Switch 8 ports POE " nets" (8) Gigabit RJ45 Ethernet Ports cable 5 m cat 6A FTP qty 5 note: the switch must operate the Unifi LR and IP telephone 2 Year Full Warranty	عدد	11	110	الأرخص والمطابق فوري	
17	Tablet	Samsung Galaxy Tab: T.295 (Operation system: Android 9.0 (Pie)) Support 2G,3G,4G Network technology -SIM : Support SIM - RAM:2 GB Processor: Quad Core , Qualcomm Snapdragon 429 ARM Cortex-A53 at 1.9 GHz Graphic: Qualcomm Adreno 504 -Storage: 32 GB Expandable by SD to 512 GB SD card: Yes micro SD , micro SDHC, micro SDXC Language: Multi Language (Includes Arabic and English) Play Store: Yes Features: TFT Definition: WXGA - Resolution:800 x 1280 pixels Density:189 ppi CAMERA Secondary camera:2 MP - Primary camera:8 MP - GPS:GPS, A-GPS, GLONASS, USB : Micro USB - NFC : Yes Inches: 8 " - Size:124.4 x 210 x 8 mm - Weight:345 g BATTERY Capacity:5100 mA Included: 1 xCable micro USB1 Year Full Warranty 1 x Original Case and stand -1 x protected glass for screen 1 x in-ear headphones 1 x original charger -1 year full warranty	عدد	63	169	أرخص المطابق	جدول رقم (3) احتياجات مستشفيات العزل



2- احوالة بعض بنود العطاء على (وورد نت) وذلك حسب الجدول التالي:

No	Item	Specification	U	Q.	Price\$	Notes	الجدول
8	Label Printer	<p><b>Label Printer ZD 410</b></p> <p>GENERAL</p> <p>Printing Technology : Thermal - Print Speed (maximum) : 8 inches per second (200 mm/s)</p> <p>Print Width (maximum) : 4 inches (104 mm)</p> <p>Media Width (min to max) : 1 to 4 inches (25 to 118 mm)</p> <p>Media Thickness (min to max) : 63.5 to 190 μm</p> <p>Flash (Non-Volatile Memory) : 16 MB total, 4MB available for user</p> <p>Drivers and software : Free-of-charge on CD with printer, including support for various platforms</p> <p>RAM (standard Memory) : 32MB total, 4 MB available for user</p> <p>Barcodes : UCC/EAN, CompositSymb, GS1-Databar, QR Code, PDF 417, CODABAR(NW-7), CODE128, CODE93 -CODE39,Codabar, ITF, EAN-8(JAN-8), EAN-13 (JAN-13)</p> <p>UPC-E, UPC-A, Code3of9,</p> <p>Number of Cuts : 300,000 cuts on media 0.06-0.15mm; 100,000 cuts 0.15-0.25mm</p> <p>Pause after printing for tearing : Yes</p> <p>Resolution : 203 dpi</p> <p>Main Interface : Triple interface USB 2.0, RS-232 and 10/100 Ethernet</p> <p>Added : Label Role -Label size : (5*2.5) cm, included 30 Role</p> <p>Included: CD Driver , Cable Network cat 6A S/sftp 2m , USB printer Cable 2m</p> <p>Warranty: 1 Year full warranty</p>	عدد	12	249	أرخص المطابق فوري	جدول رقم 1 حوسبة المستشفى التركي



No	Item	Specification	U	Q.	Price \$	Notes	الجدول
12	QNAP 4 bay	Brand Name 4-Bay rack mounted QNAP Storage; Brand Qnap 451+8G Intel® Celeron® J1900 quad-core 2.0 GHz processor (burst up to 2.42 GHz) Intel® HD Graphics 8 GB SO-DIMM DDR3L (2 x 4 GB) -Flash Memory:512MB (Dual boot OS protection) Drive Bay: 4 x 3.5-inch SATA 6Gb/s, 3Gb/s Include 4X8TB WD RED production date 2020 2XGigabit Ethernet Port (RJ45)- original Cable Ethernet cat6 SFTP 5m * 2Warranty: 1 Year	عدد	1	2600	الأجود	
13	Mikrotik	Model type:CCR1009-8G-1S-1S+ - Warranty 1 year	عدد	1	840	الأرخص و المطابق	جدول رقم "1" حوسبة المستشفى التركي
15	IP Telephone	Standard SIP telephony based on IETF standards (RFCs) Acatel 8001 RJ9 and 3.5 mm jack for headset connection USB connectivity (for example, for charging smartphones) 2 x 100BASE-TX Ethernet interfaces (1 LAN access and 1 PC port) Support static and dynamic IP allocation Power over Ethernet (IEEE 802.3af) 3-party conference Support voice mail XML/LDAP phone book Redial of last called numbers With power adapter original - With 2X Patch Cable cat6A SFTP 3m With Adapter power supply 1 Year Warranty	عدد	25	85	أرخص المطابق 6w	



The Central Tenders Committee

No	Item	Specification	U	Q.	Price \$	Notes	الجدول
17	Barcode Readers	<b>Barcode SYMBOL LS2208</b> Scanner Type Bi-directional Light Source 650 nm visible laser diode Scan Rate 100 scans per second typical Interfaces Supported USB, RS232, Keyboard Wedge, IBM 468x/9x Included barcode stand, and can be on when it is in the stand -Warranty: 1 Year <b>UPS 3KVA: Brand Name SMART UPS 3KVA.</b>	عدد	-	68	الأرخص والمطابق	
19	UPS 3KVA	<b>APC Smart-UPS SRT 3000VA 208/230V IEC or eq</b> Output Power Capacity := 2.7kWatts / 3.0kVA . Waveform Type: pure Sine wave Nominal Output Voltage: 230 V Nominal Input Voltage: 230V - Output Voltage Distortion: Less than 2% Battery (at least 2 years to expired date or at most 4 months from production date) AND 1 Years Full Warranty Input Frequency: 50/60 Hz +/-3 Hz (auto sensing) Input Voltage range for main operations: 160 - 286 V Original Power Cables Include - 4*Power UPS Cables to Connect UPS to devices - 2 Years Full Warranty	عدد	19	770	أرخص المطابق	جدول رقم 1 حوسبة المستشفى
22	DICOM Viewer	<b>RadiAnt DICOM Viewer , Support Win 10</b>	عدد	20	114	الأرخص والمطابق	التركي
25	Indoor Camera	<b>Dome Cameras 8MP or Higher. )Full HD (</b> Key Features • 8 MP bullet camera • EXIR 2.0: advanced infrared technology with 30 m IR distance • Water and dust resistant (IP67) • 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS); Note: Each Camera must has included these item 2XBNC Connector, 1XDC Connector, and medium size collection box water proof according to sample 10X10 3 Year Warranty	عدد	24	57	الأرخص والمطابق بعد التخفيض	

الصفحة 7 من 31

غزة - تل الهوا - بالقرب من محطة فارس للتبرول فاكس رقم 082832761

www.mof.gov.ps



No	Item	Specification	U	Q.	Price \$	Notes	الجدول
26	Outdoor Camera	<p>Bullet Outdoor Cameras Hikvision 8MP or Higher. Full HD</p> <p>Key Features</p> <ul style="list-style-type: none"> <li>8 MP Bullet Camera</li> <li>EXIR 2.0: advanced infrared technology with 80 m IR distance</li> <li>Water and dust resistant (IP67)</li> <li>4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</li> </ul> <p>Note: Each Camera must has Included these item</p> <p>2XBNC Connector, IXDC Connector, and medium size collection box water proof according to sample 10X10 3 Year Warranty</p>	عدد	35	67	الأرخص والمطابق	الجدول رقم "1"
30	Rack 42 U	<p>Rack 42U: Original 42U Server Rack , Deep Rack with Doors and Side Panels ,dimensions: 800mm wide x 1070mm deep ,Cable management, Power distribution: Integrated trays offer tool-free mounting for vertical power distribution units , 2X brand PDU 6 outlets , 4 ceiling FANS station , 7 fixed shelves , 1 X shelf with Drawer ,color black; with good electrical power isolation, 7 X Cable organization.</p> <p>20* Cat6A SFTP Color 3m (All Part According to sample) APC AR-3150</p>	عدد	1	1200	الأرخص والمطابق	الجدول رقم "1"
31	Monitor 50 inch	<p>Smart TV 50" 4K Smart TV muller or eq</p> <p>Ports (at least): 2 x HDMI</p> <p>Cables: HDMI cable 1X5m</p> <p>USB cable 1X5m Power Cables</p> <p>HDMI AND USB Extender at least 120m include network cable cat 6A sftptedor or premium</p> <p>Power Splitter with 6 output</p> <p>Wall mount (include installation) 1 Year Warranty</p>	عدد	4	389	الأرخص والمطابق	الجدول رقم "1"

State Of Palestine

Ministry of finance

The Central Tenders Committee



دولة فلسطين

وزارة المالية

لجنة العطاءات المركزية

No	Item	Specification	U	Q.	Price \$	Notes	الجدول
32	NVR 32 Ports	<p><b>Brand Name NVR 32P Support 8MP Turbo HD new version 2020</b></p> <ul style="list-style-type: none"><li>-H.265+/H.265/H.264/H.264+ video formats -Connectable to the third-party network cameras</li><li>-Up to 32-ch IP camera input - Recording at up to 8 MP resolution</li><li>-Supports live view, storage, and playback of the connected camera at up to 8 MP resolution</li><li>-HDMI and VGA simultaneous outputs - HDMI Video output at up to 4K (3840 × 2160) resolution</li></ul> <p>تابع:</p> <ul style="list-style-type: none"><li>4 SATA interfaces connectable for recording and backup</li><li>H.265+ compression effectively reduces the storage space and costs by up to 75%</li><li>1 self-adaptive 10/100/1000 Mbps network interface</li><li>8/16 independent PoE network interfaces are provided</li></ul> <p>Centralized management of IP cameras, including configuration, information import/export, real-time information display, two-way audio, upgrade, etc.</p> <p>Connectable to smart IP cameras from Hikvision and the recording, playing back, and backing up of VCA arms can be realized</p> <p>ik-Connect for easy network management</p> <p><b>Include: -Included PDU 6 outlet -hdd 1B * 3 year Full warranty</b></p>	عدد	4	400	الأرخص والمطابق فوري	جدول رقم "1" حوسبة المستشفى التركي
36	Stay Cable	High quality steel stay cable (according to sample)	M	1000	1.4	الأرخص والمطابق	



No	Item	Specification	U	Q.	Price \$	Notes	الجدول
5	Switch 24 ports	Brand name Alcatel-Lucent OS6350-24 :The short editorial description of Alcatel-Lucent OS6350-24 24 x Gigabit Ethernet RJ-45, 4 x Gigabit SFP, 1U with USB Consol cable - 1 year Warranty	عدد	30	459	أرخص المطابق	جدول رقم (2) احتياجات مراكز الرعاية الأولية من الحوسبة
12	Rack 10U	Rack 10U: Original ww Western Wire 10 U 60cm depth steel rack, with glass cover and lock ,Brand Name two removal sides panels with lock , Equipment :1x fan in roof cooling panel (According to Sample	عدد	25	100	الأرخص والمطابق	
2	Internal HDD	Brand Name Internal SURVEILLANCE HARD DRIVE Size: 6TB Form Factor: 3.5 Inch Color: Purple <u>Dome Cameras 8MP or Higher. )Full HD )</u>	عدد	38	224	الأرخص والمطابق	
3	Dome Camera	Key Features • 8 MP bullet camera • EXIR 2.0: advanced infrared technology with 30 m IR distance • Water and dust resistant (IP67) • 4 in 1 (4 signals switchable TV/AHD/CVI/CVBS); Each Camera must has Included these item 2XBNC Connector, 1XDC Connector, and medium size collection box water proof according to sample 10X10 with all accessories to connect and operate the camera * 1 Year Warranty	عدد	167	57	أرخص المطابق مع التخفيض فوري	جدول رقم (3) احتياجات مستشفيات العزل



The Central Tenders Committee

No	Item	Specification	U	Q.	Price \$	Notes	الجدول
14	Patch Cable	3M patch Cable CAT6 FTP High quality (According to sample)	عدد	100	2.3	أرخص المطابق	
22	label Printer	<p><b>Label Printer Zd 410</b></p> <p><b>GENERAL</b> :Printing Technology : Thermal Print Speed (maximum) : 8 inches per second (200 mm/s)                      -Print Width (maximum) : 4 inches (104 mm) -Media Width (min to max) : 1 to 4 inches (25 to 118 mm)                      Media Thickness (min to max) : 63.5 to 190 µm                      Flash (Non-Volatile Memory) : 16 MB total, 4MB available for user                      Drivers and software : Free-of-charge on CD with printer, including support for various platforms                      RAM (standard Memory) : 32MB total, 4 MB available for user                      Barcodes : UCC/EAN, Composit Symb, GSI -Databar, QR Code, PDF 417, CODABAR(NW-7), CODE128, CODE93 -CODE39,Codabar, ITF, EAN-8(JAN-8), EAN-13 (JAN-13)                      UPC-E, UPC-A, Code3of9,                      Number of Cuts : 300,000 cuts on media 0.06-0.15mm; 100,000 cuts 0.15-0.25mm                      Pause after printing for tearing : Yes -Resolution : 203 dpi                      -Main Interface : Triple interface USB 2.0, RS-232 and 10/100 Ethernet                      Added : Label Role -Label size : (5*2.5) cm, included 30 Role                      Included: CD Driver Cable Network cat 6A S/sftp 2m * USB printer Cable 2m * Warranty: 1 Year full warranty</p>	عدد	12	249	أرخص المطابق فوري	جدول رقم (3) احتياجات مستشفيات الغزل



No	Item	Specification	U	Q.	Price \$	Notes	الجدول
2	UPS 800 VA	<p>UPS for Desktop computer, Power com</p> <p>Output Power Capacity : &gt;= 480 Watts / 800 VA . Waveform Type: Modified Sine wave</p> <p>Nominal Output Voltage: 230 V Nominal Input Voltage: 230 V</p> <p>Battery (at least 2 years to expired date or at most 4 months from production date) AND 1 Years Full Warranty</p> <p>Input Frequency: 50/60 Hz +/- 3 Hz (auto sensing) Input Voltage range for main operations: 160 - 286 V, Typical backup time at half load : 14.5 min (320 watts) at least</p> <p>2X Original Power Cables for UPS output interface Included, 1X Original Power Cables for UPS input interface Included</p> <p>الضمانة لمدة 1 سنوات شاملة القطع : ملاحظات هامة</p> <p>Core i3 Laptop Edition</p> <p>HP 250 G7 CORE I3 - 10TH GEN (197S3EA) - Intel Core i3-1005G1</p> <p>8 GB DDR4-2666 SDRAM</p> <p>39.6 cm (15.6") FHD (1920 x 1080) - Intel® UHD Graphics 620</p> <p>256G NVMe</p> <p>SuperMulti DVD</p> <p>3 Cell Battery&gt;Note:</p> <p>-Drivers CD/DVD Included</p> <p>-All Items brand name</p> <p>-Non Refurbished Products - Intel Core i3-1005G1</p> <p>1 Year Full Warranty</p>	عدد	35	69	أرخص المطابق	جدول رقم "I" حوسبة المستشفى التركي
3	Laptop		عدد	12	537	الأرخص والمطابق	



The Central Tenders Committee

No	item	Specification	U	Q.	Price\$	Notes	الجدول
5	Network Printer	<p><u>Network Laser Printer HP 404 N</u>  Printer Type : Laser  Function : Print Only  Output capacity : Up to 150 sheets  Maximum output capacity (sheets) : Up to 150 sheets  Input capacity : Up to 350 sheets (Tray 1: up to 100 sheets; Tray 2: up to 250 sheets)  Maximum input capacity (sheets) : Up to 900 sheets  Display : 2-line backlit LCD graphic display Technology : Laser  Number of print cartridges : 1 (black)  Print speed : Print speeds up to 38/40 ppm (A4/Ltr).  <b>PRINT TIME</b>  First page out black (letter, ready) : As fast as 6.1 sec - First page out black (A4, ready) : As fast as 6.3 sec  First page out black (letter, sleep) : As fast as 8.6 sec  Duty cycle (monthly, letter) : Up to 80,000 pages  <b>CONNECTIVITY AND COMMUNICATIONS</b>  Connectivity, standard : 1 Hi-Speed USB 2.0; 1 host USB at rear side; Gigabit Ethernet  10/100/1000BASE-T network -Processor speed : 1200 MHz  Memory : 256 MB -Included: CD Driver  Cable Network cat 6A S/sftp3m  <b>USB printer Cable 2m - 1 Year Warranty</b></p>	عدد	15	218	الأرض والمطابق فوري	جدول رقم 1 حوسبة المستشفى التركيب



No	Item	Specification	U	Q.	Price \$	Notes	الجدول
18	Wireless Barcode Readers	Wireless Barcode <u>Zebra U4278</u> Scanner Type Bi-directional Light Source 650 nm visible laser diode Scan Rate 100 scans per second typical Included barcode stand, and can be on when it is in the stand Warranty: 1 Year	عدد	3	224	الأرخص والمطابق	جدول رقم "1" حوسبة المستشفى التركي
2	UPS 800 VA	UPS for Desktop computer, <u>Power com.</u> Output Power Capacity : $\geq$ 480 Watts / 800 VA . Waveform Type: Modified Sine wave Nominal Output Voltage: 230 V Nominal Input Voltage: 230 V Battery (at least 2 years to expired date or at most 4 months from production date) AND 1 Years Full Warranty Input Frequency: 50/60 Hz $\pm$ 3 Hz (auto sensing) Input Voltage range for main operations: 160 - 286 V, Typical backup time at half load : 14.5 min (320 watts) at least 2X Original Power Cables for UPS output interface Included, 1X Original Power Cables for UPS input interface Included الضمانة لمدة 1 سنوات شاملة القطع : ملاحظات هامة	عدد	177	69	أرخص المطابق	جدول رقم (2) احتياجات مراكز الرعاية الأولية من الحوسبة