



دولة فلسطين

وزارة المالية

الإدارة العامة للوازم العامة

لجنة العطاءات المركزية

عطاء رقم 106 / 2020

توريد أجهزة حواسيب وملحقاتها

لصالح وزارة الصحة



دولة فلسطين

وزارة المالية

الإدارة العامة للوازم العامة

لجنة العطاءات المركزية

عطاء رقم 2020/106

تعلن وزارة المالية / لجنة العطاءات المركزية عن طرح عطاء حكومي لتوريد أجهزة حواسيب وملحقاتها لصالح وزارة الصحة للشروط والمواصفات الموضحة في كراسة ووثائق العطاء. فعلى الشركات ذات الاختصاص والمسجلة رسمياً وترغب في المشاركة في هذا العطاء مراجعة وزارة المالية / الإدارة العامة للوازم العامة . تل الهوا بجوار محطة فارس للبتترول في غزة خلال أوقات الدوام الرسمي من أجل الحصول على كراسة المواصفات ووثائق العطاء مقابل دفع مبلغ (300) شيكل غير مستردة تورد إلى خزينة وزارة المالية.

آخر موعد لقبول عروض الأسعار بالظرف المختوم في صندوق العطاءات بالإدارة العامة للوازم وزارة المالية في غزة هو الساعة العاشرة من صباح يوم الاثنين الموافق 2020/12/21 وتفتح المظاريف بحضور ممثلي المتناقصين في نفس الزمان والمكان.

لجنة العطاءات المركزية

ملاحظة:

1. أجرة الإعلان في الصحف على من يرسو عليه العطاء.
2. يجب إرفاق كفالة بنكية أو شيك بنكي من البنك الوطني أو بنك الانتاج أو بنك البريد وفي حال تعذر ذلك يتم إحضار تعهد والتزام بالخصم من المستحقات معتمد من الدائرة المالية في وزارة الصحة أو الإدارة العامة للخبزينة بوزارة المالية بقيمة 5% من إجمالي العطاء " كتأمين دخول " ساري المفعول لمدة تسعين يوماً من آخر موعد لتقديم العروض.
3. تقدم الأسعار بالدولار الأمريكي وتشمل جميع أنواع الرسوم والضرائب.
4. لجنة العطاءات غير ملزمة بقبول أقل الأسعار.
5. للإطلاع على الكراسة يرجى مراجعة موقع الوزارة www.mof.gov.ps.
6. للمراجعة والاستفسار يرجى التواصل مع م. أشرف صقر 0598084004.

الشروط العامة

أولاً: إعداد وتقديم العروض من قبل المتناقصين:

1. يعد المناقص عرضه وأسعاره على الجداول والنماذج والوثائق المرفقة بدعوة العطاء بعد أن يقرأ هذه الوثائق ويتفهم جميع ما ورد فيها ويختم ويوقع كافة وثائق دعوة العطاء ويقدمها ضمن العرض كاملة على أن يتحمل كافة النتائج المترتبة على عدم قيامه بالتدقيق والاستكمال بصورة صحيحة.
2. تكتب أسعار العطاء بالدولار الأمريكي على أن يشمل السعر رسوم الجمارك وأجور التحزيم والتغليف ومصاريف النقل والتحميل والتنزيل والتأمين وجميع الرسوم والمصاريف الأخرى.
3. يعد المناقص عرضه مطبوعاً أو مكتوباً بالحبر الأزرق أو الأسود فقط ويحظر المحو أو التعديل أو الشطب أو الإضافة في العرض وكل تصحيح من هذا القبيل يوضع عليه خطين متوازيين بالحبر الأحمر ويعاد كتابة الصواب بالحبر الأزرق أو الأسود ويوقع بجانبه من قبل من أجرى التصويب.
4. يقدم المناقص عرضه مرفقاً به الوثائق المطلوبة مع تأمين دخول العطاء في مغلف مغلق بإحكام ويكتب عليه عطاء توريد أجهزة حواسيب وملحقاتها لصالح وزارة الصحة" رقم 2020/106 وكذلك اسمه وعنوانه بالكامل ورقم الهاتف والفاكس ورقم صندوق البريد الخاصين به لترسل إليه المكاتبات المتعلقة بالعطاء وعليه تبليغ الإدارة العامة للوزم / وزارة المالية خطياً بأي تغيير أو تعديل في عنوانه وعليه أن يكتب أيضاً اسم الدائرة التي طرحت العطاء وعنوانها ويخلاف ذلك يحق للجنة العطاءات أن تهمل العرض المقدم منه.
5. يودع العرض من قبل المناقص في صندوق العطاءات المخصص لهذا الغرض لدى الإدارة العامة قبل انتهاء المدة المحددة لذلك وكل عرض لا يودع في صندوق العطاءات قبل آخر موعد لتقديم العروض لا ينظر فيه ويعاد إلى مصدره مغلقاً .
6. يلتزم المناقص بأن يبقى العرض المقدم منه نافذ المفعول ولا يجوز له الرجوع عنه لمدة ستون يوماً من تاريخ آخر موعد لتقديم العروض.

ثانياً: الشهادات والمستندات الرسمية المطلوبة:

1. يرفق المناقص مع عرضه (خاصة إذا كان يشارك لأول مرة) الشهادات والوثائق المطلوبة منه وهي على النحو التالي:
 - صورة مصدقة عن شهادة مزاولة المهنة وكذلك السيرة الذاتية للشركة.
 - السجل التجاري أو الصناعي للشركة.
 - شهادة خلو طرف من دائرة ضريبة الدخل وضريبة القيمة المضافة.
2. على المناقص أن يرفق بعرضه النسخة الأصلية من أية كتالوجات أو نشرات أو معلومات فنية تعرف باللوازم المعروضة وكذلك يقدم مع عرضه العينات المطلوبة في دعوة العطاء وإذا كانت تلك العينات غير قابلة للنقل فعليه أن يحدد مكانها والوقت الذي يمكن رؤيتها فيه وإلا يكون للجنة العطاءات عدم النظر بالعرض.
3. يحق للمناقص أن يضيف أية وثائق أو معلومات يرغب بإضافتها ويرى أنها ضرورية لتوضيح عرضه.

ثالثاً: تأميمات وضمائن العطاء:

1. تأمين الدخول في العطاء: يلتزم المناقص أن يرفق بعرضه سند دفع معتمد صادر من بنك البريد أو على شكل كفالة أو شيك بنكي صادر من بنك الانتاج أو البنك الوطني الاسلامي أو تعهد بحجز مبلغ من المستحقات في غرة وموافقة وزارة المالية على ذلك بقيمة 5% من إجمالي قيمة العطاء " كتأمين دخول " ساري المفعول لمدة 3 شهور من تاريخ فتح المظاريف ولا ينظر في أي عرض غير معزز بتأمين دخول العطاء على أن تعاد تأميمات الدخول في العطاء إلى مقدميها من المناقصين الذي لم يحال عليهم العطاء بعد مدة شهرين من تاريخ آخر موعد لتقديم العروض.
2. تأمين حسن التنفيذ: يلتزم المتناقص الفائز بالعطاء أو بأي جزء من بنوده بتقديم تأمين حسن التنفيذ للعطاء المحال عليه بقيمة 10% من إجمالي قيمة العطاء وذلك على شكل سند دفع معتمد من بنك البريد أو على شكل كفالة أو شيك بنكي صادر من بنك الانتاج أو البنك الوطني الاسلامي على ذلك خلال 15 يوم من تاريخ تبليغه بقرار إحالة العطاء عليه من قبل الإدارة العامة للوزام على أن يكون ساري المفعول لمدة سريان العقد، ويعاد تأمين حسن التنفيذ إلى المتعهد بعد تنفيذ كافة الالتزامات المترتبة عليه.

رابعاً: في حال انخفاض الاسعار أكثر من 15% وفق تقدير لجنة العطاءات المركزية يحق لوزارة المالية انهاء التعاقد أو إعادة النظر في الأسعار

خامساً: فتح العطاءات وتقييمها:

1. لجنة فتح المظاريف: يشكل مدير عام اللوزام العامة لجنة فتح مظاريف العطاء وتقوم هذه اللجنة بفتح العطاءات بحضور المناقصين أو ممثليهم في الزمان والمكان المحددين في دعوة العطاء بعد اتخاذ الإجراءات التالية:-
 - أ- إثبات عدد المظاريف في محضر فتح المظاريف وكل عطاء يفتح مزروفه يضع رئيس اللجنة عليه وعلى مزروفه رقماً مسلسلأ على هيئة كسر اعتيادي بسطه رقم العطاء ومقامه عدد العطاءات الواردة.
 - ب- ترقيم الأوراق المرفقة مع العطاء وإثبات عددها.
 - ت- قراءة اسم مقدم العطاء والأسعار وقيمة التأمين الابتدائي المقدم من كل مناقص وذلك بحضور المناقصين أو ممثليهم.
 - ث- التوقيع من رئيس اللجنة وجميع الأعضاء الحاضرين على العطاء ومزروفه وكل ورقة من أوراقه وكذلك على محضر اللجنة بعد تدوين كافة الخطوات السابقة.
2. لجنة دراسة وتقييم العروض: يحدد مدير عام اللوزام العامة الأشخاص أو الجهات الذين تتكون منهم اللجنة الفنية التي تقوم بدراسة العروض من النواحي الفنية والمالية والقانونية وتقدم توصياتها المناسبة للجنة العطاءات المركزية بعد أخذ المعايير التالية في الاعتبار:-
 - أ- لا ينظر في أي عرض غير معزز بتأمين دخول العطاء.

ب- تدرس العروض من الناحية الفنية بحيث تحدد المعايير الفنية وفقاً لمواصفات اللوازم المطلوبة على جدول يعد لهذه الغاية، وتخضع كافة العروض لنفس المعايير من حيث التزام المناقص بعرضه بمواصفات وشروط دعوة العطاء.

ت- يؤخذ بعين الاعتبار كفاءة المناقص من الناحيتين المالية والفنية ومقدرته على الوفاء بالتزامات العطاء وسمعته التجارية والتسهيلات التي يقدمها أو الخدمة التي يوفرها وقطع الغيار وورش الصيانة و كذلك كونه وكيل أو موزع لوكيل أو تاجر، وللجنة استبعاد عرض المناقص الذي لا تتوفر فيه كل أو بعض هذه المتطلبات.

ث- تبدأ الدراسة بالعرض الذي قدم أرخص الأسعار ثم الذي يليه حتى تتم دراسة العروض المقدمة.

ج- إذا توافرت في العرض كافة الشروط والمواصفات والجودة توصي اللجنة الفنية بالإحالة على مقدم أرخص الأسعار ومن حق اللجنة الفنية أن توصي بالترسية على أكثر من مورد للصنف الواحد بالرغم من اختلاف الأسعار.

ح- في حالة عدم توافر المتطلبات في العرض الذي يتضمن أرخص الأسعار تنتقل الدراسة إلى العرض الذي يليه بالسعر إلى أن تصل إلى العرض الذي تتوفر فيه المتطلبات للإحالة على أن تبين أسباب استبعاد العروض الأرخص بشكل واضح.

خ- إذا تساوت المواصفات والأسعار والشروط والجودة المطلوبة يفضل المناقص الذي يتضمن عرضه ميزات إضافية ثم المقدم للمنتجات المحلية، ثم المناقص المقيم بفلسطين بصورة دائمة، ثم مدة التسليم الأقل إذا كانت سرعة التسليم لمصلحة الدائرة المستفيدة.

سادساً: التزامات المتعهد أو المورد :-

1. على المتعهد الذي أحيل عليه العطاء استكمال إجراءات العقد الخاص بقرار الإحالة وتوقيع الاتفاقية وما يلحقها من أوراق ومستندات بما فيها (أوامر الشراء).

2. يلتزم المتعهد بالتوريد خلال شهرين من تاريخ استلامه لأمر التوريد.

3. لا يجوز للمتعهد أن يتنازل لأي شخص آخر عن كل أو أي جزء من العقد دون الحصول على إذن خطي من لجنة العطاءات التي أحالت العطاء.

4. لا يحق للمناقص أو المورد الرجوع على لجنة العطاءات بأي خسارة أو ضرر ناشئ عن تقديم عرضه في حالة إذا ما رفضت لجنة العطاءات كل العروض المقدمة إليها أو إذا لم تحل العطاء على مقدم أقل الأسعار أو إذا ألغت لجنة العطاءات دعوة العطاء في أي وقت أو أي مرحلة دون ذكر الأسباب.

5. يلتزم المورد بتسليم اللوازم وفقاً للمواصفات والشروط المتفق عليها والواردة في قرار الإحالة وكذلك العينات المعتمدة والمذكورة فيه.

سابعاً: الإجراءات التي تتخذ ضد المتعهد في حالة التأخير في التنفيذ أو عدم قيامه به :-

1. فرض غرامة مالية: إذا تأخر المتعهد عن توريد ما التزم به في الموعد المحدد في العقد يحق لمدير عام دائرة اللوازم العامة أن يفرض غرامة مالية لا تقل عن (1%) من قيمة اللوازم التي تأخر في توريدها عن كل أسبوع تأخير إلا إذا تبين أن التأخير في التوريد ناجم عن قوة قاهرة ، وفي جميع الأحوال على المتعهد تقديم

إشعار خطي وفوري إلى الجهة المختصة بالظروف والأسباب التي أدت إلى التأخير في التوريد أو منعه من ذلك وتقديم ما يثبت ذلك.

2. الشراء على حساب المتعهد : إذا نكل المتعهد عن تنفيذ التزاماته بما فيه التزامه بالتوريد أو قصر في ذلك أو تأخر يحق لمدير عام دائرة اللوازم العامة إصدار القرار بشراء اللوازم الملتمزم بها المتعهد بنفس الخصائص والمواصفات من أي مصدر آخر على حساب هذا المتعهد ونفقته مع تحميله فروق الأسعار والنفقات الإضافية وأية خسائر أو مصاريف أو عطل أو ضرر يلحق بالدائرة المستفيدة أو دائرة اللوازم العامة دون الحاجة إلى أي إنذار ولا يحق للمتعهد الاعتراض على ذلك.

3. استبعاد عرض المورد الذي يخل بالتزاماته أو إلغاء العقد المبرم معه: وهنا يحق للجنة العطاءات التي أحالت العطاء اتخاذ الإجراءات اللازمة بحق المتعهد بما في ذلك مصادرة قيمة التأمين المقدم من المتعهد أو أي جزء منه بشكل يتناسب مع قيمة اللوازم غير الموردة ويعتبر المبلغ في هذه الحالة إيراداً للخرينة العامة.

4. وفي جميع الأحوال يحق لدائرة اللوازم العامة تحصيل الأموال المستحقة لها في ذمة المناقص أو المورد من الأموال المستحقة لذلك المناقص أو المورد لدى الوزارات والهيئات والمؤسسات الحكومية أو من كفالاتهم.

ثامناً: حل الخلافات:-

أ- في حال حدوث أي خلاف ينشأ عن تفسير أي بند من البنود السابقة أو من بنود العقد فيتم حله ودياً بالتفاوض.

ب- إذا لم يتمكن الطرفان خلال 30 يوماً من بدء مفاوضاتهما للوصول إلى حل حول أي خلاف يتعلق بالعقد يحق لأي من الطرفين حل الخلاف باللجوء إلى المحكمة المختصة وتطبيق القوانين والأنظمة المعمول بها في مناطق السلطة الوطنية الفلسطينية بهذا الشأن.

تاسعاً: شروط متفرقة:-

1. إذا استعمل المناقص الغش أو التلاعب في معاملته أو ثبت عليه أنه شرع أو قام بنفسه أو بواسطة غيره بطريق مباشر أو غير مباشر على رشوة أحد موظفي أو مستخدمي السلطة أو على التواطؤ معه إضراراً بالمصلحة يلغى عقده في الحال ويصادر التأمين مع عدم الإخلال بحق الوزارة المطالبة بالتعويضات المترتبة على ذلك فضلاً عن شطب اسمه من بين المناقصين ولا يسمح له بالدخول في مناقصات للسلطة الوطنية الفلسطينية هذا فضلاً عن اتخاذ الإجراءات القضائية ضده عند الاقتضاء.

2. إذا أفلس المناقص أو المورد يحق للجنة العطاءات إلغاء التعاقد معه دون اللجوء للقضاء وكذلك مصادرة مبلغ التأمين كإيراد عام للخرينة العامة.

3. إذا توفى المناقص أو المورد جاز إلغاء العقد المبرم معه أو ما تبقى منه بتوجيه كتاب للورثة يفيد بذلك دون الحاجة إلى استصدار حكم قضائي يقضي بذلك مع رد مبلغ التأمين في هذه الحالة.

الشروط الخاصة

1. يجب على المورد إحضار شهادة المنشأ للمواد التي تتطلب ذلك.
2. يحق لوزارة الصحة رفض أي مادة كاملة أو أي جزء منها في حال مخالفتها للمواصفات التي تم الاتفاق عليها.
3. يتم استلام المواد الموردة من قبل لجنة استلام مختصة ومشكلة لهذا الغرض وفقاً للمواصفات والشروط العامة والخاصة للتعاقد الواردة في دعوة العطاء وقرار الإحالة وأمر التوريد والعينات المعتمدة والتي يتم فحصها وإجراء التجارب عليها بالطريقة التي تحددها الجهة المستفيدة أو لجنة الاستلام بموجب لجان فنية تشكل لهذا الغرض لمعرفة مدى مطابقتها للمواصفات المطلوبة ويجب كذلك إرفاق الشهادات الصحية والمخبرية اللازمة من قبل المورد وتؤخذ العينات بنسبة 1-2 في الألف حسب المادة الموردة وبناءً على طلب من المختبر عند كل توريد.
4. يجب على المورد العلم بأن ما يقدمه من عرض سعر ساري المفعول لمدة ستون يوماً من تاريخ إغلاق المناقصة.
5. على المورد الالتزام بتوريد المواد المتعاقد عليها في الخدمات المساندة بوزارة الصحة بغزة أو الجهة التي تحددها الوزارة طبقاً للشروط والمواصفات الواردة في المناقصة متضمناً النقل والتحميل والتنزيل وما يترتب على عمليات التوريد من نفقات بالغة ما بلغت أو مصاريف على نفقته الخاصة.
6. سوف يتم ترسية أصناف المناقصة على أساس أقل الأسعار والمطابق للمواصفات المطلوبة ولوزارة الصحة الحق في زيادة الكميات المتعاقد عليها أو خفضها بنسبة 25% من إجمالي الكمية المتعاقد عليها لمجرد إشعار المورد برغبتها في ذلك وينفس شروط ومواصفات وأسعار التوريد الواردة في العقد لكل أو بعض الأصناف خلال فترة التعاقد .
7. في جميع الأحوال تكون عروض الأسعار بالدولار الأمريكي وشاملة للضريبة المضافة ما لم يرد نص خلاف ذلك.
8. في حال مخالفة المورد لكل أو بعض شروط التعاقد أو في حال امتناعه أو عرقلته للتوريد بما يمس بمصلحة وزارة الصحة أو يعرض مصالحها للضرر يحق لوزارة المالية مصادرة كفالة حسن التنفيذ والرجوع عليه بالتعويض عن كل عطل أو ضرر لحق بها كما أن لها الحق في الحصول على المواد التي يتخلف المورد عن توفيرها من المورد الذي يليه في السعر أو الشراء بالطرق التي تراها محققة لمصلحتها وإلغاء التعاقد معه ودفع فروق الأسعار مضافاً إليها 10% مصاريف إدارية من ضمانته البنكية وليس للمورد الذي خالف أي شرط من شروط التعاقد أو تخلف عن أو عرقل عمليات التوريد الحق في المطالبة بأية تعويضات أو المطالبة باسترداد كفالة حسن التنفيذ أو المطالبة بفروق الأسعار إذا تمكنت الوزارة من توفير تلك المواد بسعر أقل من سعر المناقصة الذي تم التعاقد بموجبه وفي حال عدم كفاية الضمانة لتغطية فروق الأسعار لوزارة المالية الحق في خصم أي مبالغ تبقى من مستحقاته لديها.

9. يكون الدفع للمورد لقاء ما قام بتوريده من مواد طبقاً للشروط والمواصفات الواردة بالمناقصة خلال ستين يوماً من تاريخ تقديم الفواتير والأوراق الدالة على تمام وحسن التوريد طبقاً للشروط والمواصفات الواردة بصحيفة الشروط والمواصفات.
10. لجنة العطاءات غير ملزمة بأرخص عروض الأسعار أو أي عرض سعر آخر ودون إبداء أي أسباب ما دام ذلك يحقق مصلحتها.
11. تتم الترسية بالتجربة والأولوية للتوريد الفوري والمتوفر لدى المورد.

معلومات
مهمة

الكميات والأسعار

جدول رقم (1) حوسبة المستشفى التركي

No	Item	Specification	Unit	Qty	Price \$	T. Price\$
1	PC Computer	<p>Desktop Computers Brand HP 290 G3 Computers or eq Intel Core i3-9100 8GB DDR4-2666 SDRAM RAM Intel UHD Graphics 630 256G NVMe SSD SuperMulti DVD Burner , withHDMI interface Gigabit Ethernet 2 x USB 3.0 / 6 x USB 2.0 -AC power cord : europe , 3pin plug Built in HDMI port in the MotherBoard Form Factor : Tower HP V214A 52.57 CM (20.7") MONITOR with HDMI and VGA interface HDMI Cable 2m Included Included: HP USB Keyboard AR + EN & Mouse Note: -All Items brand name 1 Year Full WarrantyAll Parts Brand Name ملاحظات هامة : الضمانة لمدة 1 سنوات شاملة القطع</p>	عدد	25		
2	UPS 800 VA	<p>Brand Name UPS for Desktop computer 800va Advise , APC Or eqv. Output Power Capacity : >= 480 Watts / 800 VA . Wave-form Type: Modified Sine wave Nominal Output Voltage:230 V Nominal Input Voltage: 230 V Battery (at least 2 years to expired date or at most 4 months from production date) AND 1 Years Full Warranty Input Frequency: 50/60 Hz +/-3 Hz (auto sensing) Input Voltage range for main operations: 160 - 286 V, Typical backup time at half load : 14.5 min (320 watts) at least 2X Original Power Cables for UPS output interface Included, 1X Original Power Cables for UPS input interface Included ملاحظات هامة : الضمانة لمدة 1 سنوات شاملة القطع</p>	عدد	35		
3	Laptop	<p>Brand Name Core i3 Laptop Edition HP 250 G7 CORE I3- 10TH GEN (197S3EA) Intel Core i3-1005G1 8 GB DDR4-2666 SDRAM 39.6 cm (15.6") FHD (1920 x 1080) Intel@ UHD Graphics 620 256G NVMe SuperMulti DVD 3 Cell BatteryNote: -Drivers CD/DVD Included -Non Refurbished Products -All Items brand name 1 Year Full Warranty</p>	عدد	12		

No	Item	Specification	Unit	Qty	Price \$	T. Price\$
4	Tablet 8 inch or higher	<p>Samsung Galaxy Tab A 8 inch or higher 2019-2020 Operation system: Android 9.0 (Pie) Support 2G,3G,4G Network technology SIM : Support SIM Processor: Quad Core , Qualcomm Snapdragon 429 ARM Cortex-A53 at 1.9 GHz Graphic: Qualcomm Adreno 504 RAM:2 GB Storage: 32 GB Expandable by SD to 512 GB SD card: Yes micro SD , micro SDHC, micro SDXC Language: Multi Language (Includes Arabic and English) Play Store: Yes Features: TFT Definition: WXGA Resolution:800 x 1280 pixels Density:189 ppi CAMERA Secondary camera:2 MP - Primary camera:8 MP - WIFI GPS:GPS, A-GPS, GLONASS, USB : Micro USB NFC : Yes Inches: 8 " Size:124.4 x 210 x 8 mm Weight:345 g BATTERY Capacity:5100 mA Included: 1 xCable micro USB1 Year Full Warranty 1 x Original Case and stand 1 x in-ear headphones 1 x original charger 1 x protected glass for screen 1 year full warranty</p>	عدد	15		
5	Network Printer	<p>Brand Name Network Laser Printer HP 404 N or eq Printer Type : Laser Function : Print Only Output capacity : Up to 150 sheets Maximum output capacity (sheets) : Up to 150 sheets Input capacity : Up to 350 sheets (Tray 1: up to 100 sheets; Tray 2: up to 250 sheets) Maximum input capacity (sheets) : Up to 900 sheets Display : 2-line backlit LCD graphic display Technology : Laser Number of print cartridges : 1 (black) Print speed : Print speeds up to 38/40 ppm (A4/Ltr). PRINT TIME First page out black (letter, ready) : As fast as 6.1 sec First page out black (A4, ready) : As fast as 6.3 sec First page out black (letter, sleep) : As fast as 8.6 sec Duty cycle (monthly, letter) : Up to 80,000 pages CONNECTIVITY AND COMMUNICATIONS Connectivity, standard : 1 Hi-Speed USB 2.0; 1 host USB at rear side;Gigabit Ethernet 10/100/1000BASE-T network Processor speed : 1200 MHz Memory : 256 MB Included: CD Driver Cable Network cat 6A S/sftp3m USB printer Cable 2m One Year Warranty</p>	عدد	10		

No	Item	Specification	Unit	Qty	Price \$	T. Price\$
6	Workstation	<p>Workstation Brand HP Z2 G4 Computers oreq Intel® Core™ i9-9900K Processor (3.6GHz, up to 5.0GHz w/Boost, 2666MHz, 16MB cache, 8 core)+Intel® UHD Graphics 630+ZCooler 32 GB (2x16 GB) DDR4-2666 Memory Memory Slots: 2 DIMM 1 X 256 GB M2 NVMe 2 x 2 TB 7200 RPM SATA 3.5" HDD , RED 2 x Ethernet card 10/100/1000 1 x HDMI Included: USB Keyboard AR + EN & Mouse -AC power cord :europe , 3pin plug Form Factor : Tower Monitor :HP 22es 21.5-inch with HDMI interface, Without External Transformer include Kaspersky Endpoint Security Cloud Plus License 1 Year original Cable Ethernet cat6 SFTP 3 m * 1 HDMI Cable 2m Included Note: -All Items brand name 1 Year Full WarrantyAll Parts Brand Name ملاحظات هامة : الضمانة لمدة 1 سنوات شاملة القطع</p>	عدد	3		
7	MultiFunction Printer	<p>MultiFunction Printer HP LaserJet Pro MFP M428fdn or rq Print, copy, scan, fax (both models) Print speed (letter/A4) Up to 40/38 pages per minute (ppm) (both models) Scan speed (letter/A4) Simplex: Up to 31/29 ppm (black); up to 21/20 ppm (color) Duplex: Up to 49/46 images per minute (ipm) (black); up to 36/34 ipm (color) Scanning 50-sheet ADF with single-pass, two sided scanning (both models) Automatic two-sided printing ✓ Control panel display 2.7-inch (6.9 cm) color touchscreen (both models) 100-sheet multipurpose tray 1, 250-sheet tray 2 ✓ 550-sheet tray 3 Optional Input capacity (standard/maximum) Up to 350/900 sheets (both models) Recommended monthly page volume Up to 4,000 pages (both models) Cartridge yields (A/X) Black: ~3,000/10,000 pages (both models) Dual-band Wi-Fi with Bluetooth Low Energy Not available Networking Built-in 10/100/1000Base-TX Ethernet; Dualband Wireless; 802.11b/g/n / 2.4 / 5 GHZ Wi-Fi radio Include: 1XUSB Cable Printer 3m 1XNetwork Cable Cat6A FTP 3m 1 Year Full Warranty</p>	عدد	4		

No	Item	Specification	Unit	Qty	Price \$	T. Price\$
8	Label Printer	<p>Brand Name Label Printer GENERAL Printing Technology : Thermal Print Speed (maximum) : 8 inches per second (200 mm/s) Print Width (maximum) : 4 inches (104 mm) Media Width (min to max) : 1 to 4 inches (25 to 118 mm) Media Thickness (min to max) : 63.5 to 190 µm Flash (Non-Volatile Memory) : 16 MB total, 4MB available for user Drivers and software : Free-of-charge on CD with printer, including support for various platforms RAM (standard Memory) : 32MB total, 4 MB available for user Barcodes : UCC/EAN, CompositSymb, GS1-Databar, QR Code, PDF 417, CODABAR(NW-7), CODE128, CODE93 CODE39,Codabar, ITF, EAN-8(JAN-8), EAN-13 (JAN-13) UPC-E, UPC-A, Code3of9, Number of Cuts : 300,000 cuts on media 0.06-0.15mm; 100,000 cuts 0.15-0.25mm Pause after printing for tearing : Yes Resolution : 203 dpi Main Interface : Triple interface USB 2.0, RS-232 and 10/100 Ethernet Added : Label Role Label size : (5*2.5) cm, included 30 Role Included: CD Driver Cable Network cat 6A S/sftp 2m USB printer Cable 2m Warranty: 1 Year full warranty</p>	عدد	12		
9	Thermal Printer	<p>SPRT POS 88vmf Thermal Printer Parameter: Printing Method : Thermal Line Resolution : Thermal Line 8 dots/mm Printing Speed : 250 mm/s (Max) Effective Printing Width : 72 mm TPH : 100km Paper Width : 79.5±0.5mm Paper Type : Normal Thermal Paper/ Blackmark Paper Paper Size : Max 80 mm×Ø80mm Paper Thickness : 0.06mm~0.08mm Paper Supply Method : Drop-in easy paper loading Print Font :Codepage; ANK: 9 x17 / 12 x24; Chinese: 24x24 Barcode : 1D: UPC-A、UPC-E、EAN-13、EAN 8、CODE39、ITF25、CODABAR、CODE93、CODE128 2 D: PDF417、QRCODE、Data Matrix Interface :RS232/USB/Ethernet Power supply : DC24V±10%, 2A thermal paper included 30 Role according to sample Included: CD Driver Cable Network cat 6A ftp 2m USB printer Cable 2m Warranty: 1 Year full warranty</p>	عدد	3		
10	Patch Panel	<p>High quality Brand Name Patch Panel 24 ports Cat 6A, According to sample 1 Year Warranty</p>	عدد	4		

No	Item	Specification	Unit	Qty	Price \$	T. Price\$
11	Switch 24 Ports	Layer 2 High quality Brand Name Managed Switch 24 ports 10/100/1000 + 2 combo 1 Year Warranty Original Cat 6 A ,FTP , 50 cm (According to Sample) original western wire, QTY=24 Original Cat 6 A ,FTP , 3m (According to Sample) original western wire, QTY=20	عدد	5		
12	QNAP 4 bay	Brand Name 4-Bay rack mounted QNAP Storage; Brand Qnap 451+8G Intel® Celeron® J1900 quad-core 2.0 GHz processor (burst up to 2.42 GHz) Intel® HD Graphics 8 GB SO-DIMM DDR3L (2 x 4 GB) Flash Memory:512MB (Dual boot OS protection) Drive Bay: 4 x 3.5-inch SATA 6Gb/s, 3Gb/s Include 4X8TB WD RED production date 2020 2XGigabit Ethernet Port (RJ45) original Cable Ethernet cat6 SFTP 5m * 2 Warranty: 1 Year	عدد	1		
13	Mikrotik	Model type:CCR1009-8G-1S-1S+ Warranty 1 year	عدد	1		
14	Network Cable	Network Cable Cat6A , SFTP (teldor, D'Link, premiumline) (According to Sample)	عدد	4000		
15	IP Telephone	Standard SIP telephony based on IETF standards (RFCs) RJ9 and 3.5 mm jack for headset connection USB connectivity (for example, for charging smartphones) 2 x 100BASE-TX Ethernet interfaces (1 LAN access and 1 PC port) Support static and dynamic IP allocation Power over Ethernet (IEEE 802.3af) 3-party conference Support voice mail XML/LDAP phone book Redial of last called numbers With power adapter original With 2X Patch Cable cat6A SFTP 3m With Adapter power supply 1 Year Warranty	عدد	25		
16	PTP Link	Supply , install , and operate full system Model:PBE-5AC-Gen2Long-Range PtP Link ModeAccess Point PtMPairMAX Mixed ModeairMAX ac Protocol Supportantenna Gain:25 dBiPower Method:PassivePoE (Pairs 4, 5+; 7, 8 Return)Networking Interface: 10/100/1000 Ethernet PortMemory:64 MBCPU:MIPS 74KcChannel Sizes:10/20/30/40/50/60/80 MHzFirmware:AirOS8 permanent licensesecurity:Strongest WPA2 Security The link should carry 150Mbps/150Mbps up/down real traffic at least after installation and calibration Link : 2 Unit 1 year warranty	عدد	1		
17	Barcode Readers	Barcode SYMBOL LS2208 Scanner Type Bi-directional Light Source 650 nm visible laser diode Scan Rate 100 scans per second typical Interfaces Supported USB, RS232, Keyboard Wedge, IBM 468x/9x Included barcode stand, and can be on when it is in the stand Warranty:1 Year	عدد	10		

No	Item	Specification	Unit	Qty	Price \$	T. Price\$
18	Wireless Barcode Readers	Brand Name Wireless Barcode Scanner Type Bi-directional Light Source 650 nm visible laser diode Scan Rate 100 scans per second typical Included barcode stand, and can be on when it is in the stand Warranty:1 Year	عدد	3		
19	UPS 3KVA	UPS 3KVA: Brand Name SMART UPS 3KVA APC Oreqv. APC Smart-UPS SRT 3000VA 208/230V IEC or eq Output Power Capacity :>= 2.7kWatts / 3.0kVA . Wave- form Type: pure Sine wave Nominal Output Voltage:230 V Nominal Input Voltage: 230V Output Voltage Distortion:Less than 2% Battery (at least 2 years to expired date or at most 4 months from production date) AND 1 Years Full Warranty Input Frequency: 50/60 Hz +/-3 Hz (auto sensing) Input Voltage range for main operations: 160 - 286 V Original Power Cables Include 4*Power UPS Cables to Connect UPS to devices 2 Years Full Warranty	عدد	2		
20	Access Point	UniFi Access Points UAP-AC-LITE 802.3af/A PoE& 24V PoE. 2 x 2 MIMO. Simultaneous dual-band. 2.4GHz throughput of 300Mbps. 5GHz throughput of 867Mbps. Range of 122 m (400 ft) 1 Gigabit Ethernet Ports. 24v / 48v compatible. Brand Name POE Trans 1GB interface for each AP Include patch cable 3m cat 6A FTP as above specification 2 Year Full Warranty	عدد	10		
21	POE-Switch 8port	Switch 8 ports POE (8) Gigabit RJ45 Ethernet Ports cable 5 m cat 6A FTP qty 5 note: the switch must operate the Unifi LR and IP telephone 2 Year Full Warranty	عدد	2		
22	DICOM Viewer	RadiAnt DICOM Viewer , Support Win 10	عدد	20		
23	DVR 16 ports	Brand Name DVR 16P Support 8MP Turbo HD DS-7216HUHI-K2 new version 2020 Support Camera 2MP/3MP/5MP/8MP Video/Audio Input Video Compression: H.265 Pro+/H.265 Pro/H.265/ H.264+/ H.264 Supported camera types:Support HDTV input: 8 MP, 5 MP, 4 MP, 3 MP, 1080p30, 1080p25, 720p60, 720p50, 720p30, 720p25 Support AHD input: 5 MP, 4 MP, 1080p25, 1080p30, 720p25, 720p30 Playback Resolution: 8MP/5MP/4MP/3MP/1080p/720p/WD1/4CIF/VGA/CIF Hard Disk Driver Interface Type:2 SATA Interfaces Capacity:Up to 10 TB capacity for each disk External Interface Network Interface:1; 10M / 100M / 1000M self-adaptive Ethernet interface Included • CD/DVD Drivers for (PC - Mobile) • Wireless Mouse Included Warranty 3 years full	عدد	4		

No	Item	Specification	Unit	Qty	Price \$	T. Price\$
24	Internal HDD	Brand Name Internal SURVEILLANCE HARD DRIVE Size: 6TB Form Factor: 3.5 Inch Color: Purple	عدد	8		
25	Indoor Camera	Dome Cameras 8MP or Higher.)Full HD) Key Features <ul style="list-style-type: none"> • 8 MP bullet camera • EXIR 2.0: advanced infrared technology with 30 m IR distance • Water and dust resistant (IP67) • 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS); Note: Each Camera must has Included these item 2XBNC Connector, 1XDC Connector, and medium size collection box water proof according to sample 10X10 3 Year Warranty	عدد	24		
26	Outdoor Camera	Bullet Outdoor Cameras Hikvision 8MP or Higher.)Full HD) Key Features <ul style="list-style-type: none"> • 8 MP Bullet Camera • EXIR 2.0: advanced infrared technology with 80 m IR distance • Water and dust resistant (IP67) • 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS) Note: Each Camera must has Included these item 2XBNC Connector, 1XDC Connector, and medium size collection box water proof according to sample 10X10 3 Year Warranty	عدد	35		
27	Camera Cables	High quality brand name Cables Gold RG59HQ, WW or teleraneq, to connect Cameras to DVR , Can receive and transmit data up to 300m without Noise., Braid net: 128wires, 95% Coverage CCA, power Wires 2*0.75mm Pures Copper red/black, one Roll must be 305m According to sample, <u>Electricity Wires must be Solid</u>	M	3660		
28	Power Box	Brand Name Electricity Box, provision or eq, Not local market Circuit breaker, with Fuses, 16 ports Power Splitter 20-30A for Cameras Connected to DVR 1 Year Warranty <u>Sample required upon request</u>	عدد	4		
29	Network Cable	Brand Name network cable Teldor or premium or eq cat 6A/SFTP according to sample	m	2000		
30	Rack 42 U	Rack 42U: Original 42U Server Rack , Deep Rack with Doors and Side Panels ,dimensions: 800mm wide x 1070mm deep ,Cable management, Power distribution: Integrated trays offer tool-free mounting for vertical power distribution units , 2X brand PDU 6 outlets , 4 ceiling FANS station ,7 fixed shelve , 1 X shelve with Drawer ,color black; with good electrical power isolation, 7 X Cable organization. 20* Cat6A SFTP Color 3m All Part According to sample	عدد	1		
31	Monitor 50 inch	BrandName Smart TV 50" 4K Smart TV muller or eq Ports (at least): 2 x HDMI Cables: HDMI cable 1X5m USB cable 1X5m Power Cables HDMI AND USB Extender at least 120m include network cable cat 6A sftpteldor or premium Power Splitter with 6 output Wall mount (include installation) 1 Year Warranty	عدد	4		

No	Item	Specification	Unit	Qty	Price \$	T. Price\$
32	NVR 32 Ports	<p>Brand Name NVR 32P Support 8MP Turbo HD new version 2020</p> <p>H.265+/H.265/H.264/H.264+ video formats</p> <p>Connectable to the third-party network cameras</p> <p>Up to 32-ch IP camera input</p> <p>Recording at up to 8 MP resolution</p> <p>Supports live view, storage, and playback of the connected camera at up to 8 MP resolution</p> <p>HDMI and VGA simultaneous outputs</p> <p>HDMI Video output at up to 4K (3840 × 2160) resolution</p> <p>4 SATA interfaces connectable for recording and backup</p> <p>H.265+ compression effectively reduces the storage space and costs by up to 75%</p> <p>1 self-adaptive 10/100/1000 Mbps network interface</p> <p>8/16 independent PoE network interfaces are provided</p> <p>Centralized management of IP cameras, including configuration, information import/export, real-time information display, two-way audio, upgrade, etc.</p> <p>Connectable to smart IP cameras from Hikvision and the recording, playing back, and backing up of VCA alarms can be realized</p> <p>Hik-Connect for easy network management</p> <p>Include:</p> <ul style="list-style-type: none"> • Included PDU 6 outlet • hdd 1B <p>3 year Full warranty</p>	عدد	4		
33	Pipes	Pipes min ¾ inch (according to sample)	M	1000		
34	Ducts 2.5X2.5	duct 2.5*2.5 original , not local made , high quality , According to sample	M	500		
35	Ducts 4X6	Brand Name Ducts 4X6 (according to sample)	M	150		
36	Stay Cable	High quality steel stay cable (according to sample)	M	1000		

جدول رقم (2) احتياجات مراكز الرعاية الأولية من الحوسبة

No	Item	Specification	Unit	Qty	Price \$	T. Price\$
1	PC Computer	<p>Desktop Computers Brand HP 290 G3 Computers or eq Intel Core i3-9100 8GB DDR4-2666 SDRAM RAM Intel UHD Graphics 630 256G NVMe SSD SuperMulti DVD Burner , withHDMI interface Gigabit Ethernet 2 x USB 3.0 / 6 x USB 2.0 -AC power cord : europe , 3pin plug Built in HDMI port in the MotherBoard Form Factor : Tower HP V214A 52.57 CM (20.7") MONITOR with HDMI and VGA interface HDMI Cable 2m Included Included: HP USB Keyboard AR + EN &Mouse Note: -All Items brand name 1 Year Full WarrantyAll Parts Brand Name الضمانة لمدة 1 سنوات شاملة القطع : ملاحظات هامة</p>	عدد	152		
2	UPS 800 VA	<p>Brand Name UPS for Desktop computer 800va Advise , APC Or eqv. Output Power Capacity : >= 480 Watts / 800 VA . Waveform Type: Modified Sine wave Nominal Output Voltage:230 V Nominal Input Voltage: 230 V Battery (at least 2 years to expired date or at most 4 months from production date) AND 1 Years Full Warranty Input Frequency: 50/60 Hz +/-3 Hz (auto sensing) Input Voltage range for main operations: 160 - 286 V, Typical backup time at half load : 14.5 min (320 watts) at least 2X Original Power Cables for UPS output interface Included, 1X Original Power Cables for UPS input interface Included الضمانة لمدة 1 سنوات شاملة القطع : ملاحظات هامة</p>	عدد	177		
3	Laptop	<p>Brand Name Core i5 Laptop Edition (HP notebook 15) Processor: Intel® Core™ i5- 10th Gen with (1.6 GHz base frequency, up to 4.2 GHz base with Intel® Turbo Boost Technology, 6 MB cache, 4 cores) Internal Display: 39.6 cm (15.6 in) Storage: SSD M2 512GB NVMe WD Blue Memory:8 GB DDR4-2666 SDRAM (1 x 8 GB) Audio: Integrated HD audio card Network Interface: Integrated 10/100/1000 BASE-T Ethernet LAN Wireless: 802.11b/g/n/ac, 1 USB 3.1 Gen 1 Type-C™ (Data Transfer Only, 5 Gb/s signaling rate); 2 USB 3.1 Gen 1 Type-A (Data Transfer Only); 1 RJ-45; 1 AC smart pin; 1 HDMI 1.4b; 1 headphone/microphone combo Keyboard: USB Standard (middle east Ar/En) Additional Accessories included: Brand (Wireless Laser Mouse , Original high quality Bag HP value 16.1) , ILicense 1 Year OS: Windows 10 Pro 64 Note: -Drivers CD/DVD Included -Non Refurbished Products -All Items brand name 1 Year Full Warranty</p>	عدد	6		

No	Item	Specification	Unit	Qty	Price \$	T. Price\$
4	Network Printer	<p>Brand Name Network Laser Printer HP 404 N or eq Printer Type : Laser Function : Print Only Output capacity : Up to 150 sheets Maximum output capacity (sheets) : Up to 150 sheets Input capacity : Up to 350 sheets (Tray 1: up to 100 sheets; Tray 2: up to 250 sheets) Maximum input capacity (sheets) : Up to 900 sheets Display : 2-line backlit LCD graphic display Technology : Laser Number of print cartridges : 1 (black) Print speed : Print speeds up to 38/40 ppm (A4/Ltr). PRINT TIME First page out black (letter, ready) : As fast as 6.1 sec First page out black (A4, ready) : As fast as 6.3 sec First page out black (letter, sleep) : As fast as 8.6 sec Duty cycle (monthly, letter) : Up to 80,000 pages CONNECTIVITY AND COMMUNICATIONS Connectivity, standard : 1 Hi-Speed USB 2.0; 1 host USB at rear side;Gigabit Ethernet 10/100/1000BASE-T network Processor speed : 1200 MHz Memory : 256 MB Included: CD Driver Cable Network cat 6A S/sftp 3m USB printer Cable 2m One Year Warranty</p>	عدد	40		
5	Switch 24 ports	<p>Brand name Alcatel-Lucent OS6350-24 :The short editorial description of Alcatel-Lucent OS6350-24 24 x Gigabit Ethernet RJ-45, 4 x Gigabit SFP, 1U with USB Consol cable 1 year Warranty</p>	عدد	30		
6	Network Socket	<p>Good Quality Full Brand Name external Computer Socket outlet with Brand Name cat 6A female 8 pin RJ 45 with cover. (According to Sample)</p>	عدد	150		
7	Network Cable	<p>Brand Name network cable Teldor or premium or eq cat 6A/ SFTP according to sample</p>	M	5000		
8	duct 2.5*2.5	<p>duct 2.5*2.5 original , not local made , high quality , According to sample</p>	M	1000		
9	Patch Panel	<p><u>Patch Panel</u>: Original Patch Panel 24 port with cat 6A Females , according to sample</p>	عدد	25		

No	Item	Specification	Unit	Qty	Price \$	T. Price\$
10	Patch Cable 0.5m	Patch Cable 0.5m: Original Cat 6 A ,FTP ,0.5m (According to Sample)	عدد	170		
11	Patch Cable 3m	Patch Cable 3m: Original Cat 6 A ,FTP , 3m (According to Sample)	عدد	170		
12	Rack 10U	Rack 10U: Original WesternWire 10 U 60cm depth steel rack,with glass cover and lock ,Brand Name two removal sides panels with lock ,Equipment :1x fan in roof cooling panel (According to Sample)	عدد	25		
13	Broad band router	Tplink C20 AC750 Wireless Dual Band Router, Delivers reliable AC750 Wi-Fi over dual 2.4 GHz (300 Mbps) and 5 GHz (433 Mbps) bands*	عدد	30		
14	Mikrotik	Mikrotik RB 750 gr3 or 760 or eq	عدد	25		
15	Lan tester	RJ45/RJ11/RJ12 LAN Crossover Network / Telephone Cable Tester (according to sample)	عدد	20		
16	Crimping tool for RJ45,RJ12	Brand name crimping tool according to sample	عدد	20		
17	RJ45 Punch Down krone tool	Original punch down tool (according to sample)	عدد	20		
18	RJ male Cat7	RJ male for cable cat7	عدد	170		

جدول رقم (3) احتياجات مستشفيات العزل

No	Item	Specification	Unit	Qty	Price \$	T. Price\$
1	DVR 16 p	<p>Brand Name DVR 16P Support 8MP Turbo HD DS-7216HUHI-K2 new version 2020</p> <p>Support Camera 2MP/3MP/5MP/8MP</p> <p>Video/Audio Input</p> <p>Video Compression: H.265 Pro+/H.265 Pro/H.265/H.264+/ H.264</p> <p>Supported camera types:Support HDTV input: 8 MP, 5 MP, 4 MP, 3 MP, 1080p30, 1080p25, 720p60, 720p50, 720p30, 720p25</p> <p>Support AHD input: 5 MP, 4 MP, 1080p25, 1080p30, 720p25, 720p30</p> <p>Playback Resolution: 8MP/5MP/4MP/3MP/1080p/720p/WD1/4CIF/VGA/CIF</p> <p>Hard Disk Driver</p> <p>Interface Type:2 SATA Interfaces</p> <p>Capacity:Up to 10 TB capacity for each disk</p> <p>External Interface</p> <p>Network Interface:1; 10M / 100M / 1000M self-adaptive Ethernet interface</p> <p>Included</p> <ul style="list-style-type: none"> • CD/DVD Drivers for (PC - Mobile • Wireless Mouse Included <p>Warranty 3 years full</p>	عدد	19		
2	Internal HDD	<p>Brand Name Internal SURVEILLANCE HARD DRIVE</p> <p>Size: 6TB Form Factor: 3.5 Inch Color: Purple</p>	عدد	38		
3	Dome Camera	<p>Dome Cameras 8MP or Higher.)Full HD)</p> <p>Key Features</p> <ul style="list-style-type: none"> • 8 MP bullet camera • EXIR 2.0: advanced infrared technology with 30 m IR distance • Water and dust resistant (IP67) • 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS); <p>Each Camera must has Included these item</p> <p>2XBNC Connector, 1XDC Connector, and medium size collection box water proof according to sample 10X10 with all accesories to connect and operate the camera</p> <p>1 Year Warranty</p>	عدد	167		
4	Outdoor Camera	<p>Bullet Outdoor Cameras Hikvision 8MP or Higher.)Full HD)</p> <p>Key Features</p> <ul style="list-style-type: none"> • 8 MP Bullet Camera • EXIR 2.0: advanced infrared technology with 80 m IR distance • Water and dust resistant (IP67) • 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS) <p>Note:</p> <p>Each Camera must has Included these item</p> <p>2XBNC Connector, 1XDC Connector, and medium size collection box water proof according to sample 10X10 with all accesories to connect and operate the camera</p> <p>1 Year Warranty</p>	عدد	110		

No	Item	Specification	Unit	Qty	Price \$	T. Price\$
5	Camera Cable	High quality brand name Cables Gold RG59HQ 4WW or teloran eq, to connect Cameras to DVR , Can receive and transmit data up to 300m without Noise., Braid net: 128wires, 95% Coverage CCA, power Wires 2*0.75mm Pures Copper red/black, one Roll must be 305m According to sample, Electricity Wires must be Solid	M	16620		
6	Power Box	Brand Name Electricity Box, provision or eq, Not local market Circuit breaker, with Fuses, 16 ports Power Splitter 20-30A for Cameras Connected to DVR 1 Year Warranty Sample required upon request	عدد	19		
7	Network Cable	Brand Name network cable Teldor or premium or eq cat 6A/ FTP according to sample	M	7550		
8	Monitor 50 inch	BrandName Smart TV 50"4K Smart muller or eq Ports (at least): 2 x HDMI Cables: HDMI cable 1X5m USB cable 1X5m Power Cables HDMI AND USB Extender at least 120m include network cable cat 6A sftp teldor or premium Power Splitter with 6 output Wall mount (include installation) 1 Year Warranty	عدد	19		
9	UPS 850 VA	Brand Name UPS for Desktop computer 850va Advise , APC Or eqv. Output Power Capacity : >= 480 Watts / 800 VA . Waveform Type: Modified Sine wave Nominal Output Voltage:230 V Nominal Input Voltage: 230 V Battery (at least 2 years to expired date or at most 4 months from production date) AND 1 Years Full Warranty Input Frequency: 50/60 Hz +/-3 Hz (auto sensing) Input Voltage range for main operations: 160 - 286 V, Typical backup time at half load : 14.5 min (320 watts) at least 2X Original Power Cables for UPS output interface Included, 1X Original Power Cables for UPS input interface Included ملاحظات هامة : الضمانة لمدة 1 سنوات شاملة القطع	عدد	83		

No	Item	Specification	Unit	Qty	Price \$	T. Price\$
10	Rack 10U	Rack 10U: Original WesternWire 10 U 60cm depth steel rack,with glass cover and lock ,Brand Name two removal sides panels with lock ,Equipment :1x fan in roof cooling panel; 1x of power strip 6 node 2X Fixed Shelves,24port patch panel CAT6A ,24x(0.5m patch cable FTP CAT6A) (According to Sample)	عدد	19		
11	Access Point	UniFi Access Points UAP-AC-LITE 802.3af/A PoE & 24V PoE. 2 x 2 MIMO. Simultaneous dual-band. 2.4GHz throughput of 300Mbps. 5GHz throughput of 867Mbps. Range of 122 m (400 ft) 1 Gigabit Ethernet Ports. 24v / 48v compatible. Brand Name POE Trans 1GB interface for each AP Include patch cable 3m cat 6A FTP as above specification 2 Year Full Warranty	عدد	102		
12	POE-Switch 8port	Switch 8 ports POE (8) Gigabit RJ45 Ethernet Ports cable 5 m cat 6A FTP qty 5 note: the switch must operate the Unifi LR and IP telephone 2 Year Full Warranty	عدد	11		
13	AP POE Switch	UniFi Switch 24 (500W) (24) Gigabit RJ45 Ethernet Ports Auto-Sensing IEEE 802.3af/at PoE+ Configurable 24V Passive PoE (2) 1G SFP Ports 500W Power Supply Managed by UniFi Controller 1U Rack Mount Height (1) Serial Console Port. Non-Blocking Throughput: 26 Gbps. Switching Capacity: 52 Gbps. Forwarding Rate: 38.69 Mpps. Include Patch Panel 24 ports qty 1 and patch cable 50 cm cat 6A FTP qty 24 as above specification 2 Year Full Warranty	عدد	3		
14	Patch Cable	3M patch Cable CAT6 FTP High quality (According to sample)	عدد	100		
15	network socket	Good Quality Full Brand Name external Computer Socket outlet with Brand Name cat 6A female 8 pin RJ 45 with cover. (According to Sample)	عدد	100		
16	duct 2.5*2.5	duct 2.5*2.5 original , not local made , high quality , According to sample	M	800		

No	Item	Specification	Unit	Qty	Price \$	T. Price\$
17	Tablet	<p>Samsung Galaxy Tab A 8 inch or higher 2019-2020 Operation system: Android 9.0 (Pie) Support 2G,3G,4G Network technology SIM : Support SIM Processor: Quad Core , Qualcomm Snapdragon 429 ARM Cortex-A53 at 1.9 GHz Graphic: Qualcomm Adreno 504 RAM:2 GB Storage: 32 GB Expandable by SD to 512 GB SD card: Yes micro SD , micro SDHC, micro SDXC Language: Multi Language (Includes Arabic and English) Play Store: Yes Features: TFT Definition: WXGA Resolution:800 x 1280 pixels Density:189 ppi CAMERA Secondary camera:2 MP - Primary camera:8 MP - GPS:GPS, A-GPS, GLONASS, USB : Micro USB NFC : Yes Inches: 8 " Size:124.4 x 210 x 8 mm Weight:345 g BATTERY Capacity:5100 mA Included: 1 xCable micro USB1 Year Full Warranty 1 x Original Case and stand 1 x in-ear headphones 1 x original charger 1 x protected glass for screen 1 year full warranty</p>	عدد	63		
18	Laptop	<p>Brand Name Core i3 Laptop Edition HP 250 G7 CORE I3- 10TH GEN (197S3EA) Intel Core i3-1005G1 8 GB DDR4-2666 SDRAM 39.6 cm (15.6") FHD (1920 x 1080) Intel® UHD Graphics 620 256G NVMe SuperMulti DVD 3 Cell BatteryNote: -Drivers CD/DVD Included -Non Refurbished Products -All Items brand name 1 Year Full Warranty</p>	عدد	18		
19	PC Computer	<p>Desktop Computers Brand HP 290 G3 Computers or eq Intel Core i3-9100 8GB DDR4-2666 SDRAM RAM Intel UHD Graphics 630 256G NVMe SSD SuperMulti DVD Burner , withHDMI interface Gigabit Ethernet 2 x USB 3.0 / 6 x USB 2.0 -AC power cord : europe , 3pin plug Built in HDMI port in the MotherBoard Form Factor : Tower HP V214A 52.57 CM (20.7") MONITOR with HDMI and VGA interface HDMI Cable 2m Included Included: HP USB Keyboard AR + EN &Mouse Note: -All Items brand name 1 Year Full WarrantyAll Parts Brand Name الضمانة لمدة 1 سنوات شاملة القطع: ملاحظات هامة</p>	عدد	62		

No	Item	Specification	Unit	Qty	Price \$	T. Price\$
20	switch	High quality Brand Name Managed Switch 24 ports 10/100/1000 1 Year Warranty	عدد	18		
21	Workstation	Workstation Brand HP Z2 G4 Computers or eq Intel® Core™ i9-9900K Processor (3.6GHz, up to 5.0GHz w/Boost, 2666MHz, 16MB cache, 8 core)+Intel® UHD Graphics 630+ZCooler 32 GB (2x16 GB) DDR4-2666 Memory Memory Slots: 2 DIMM 1 X 256 GB M2 NVMe 2 x 2 TB 7200 RPM SATA 3.5" HDD , RED Included: USB Keyboard AR + EN & Mouse -AC power cord : europe , 3pin plug Form Factor : Tower Monitor : HP 22es 21.5-inch with HDMI interface, Without External Transformer original Cable Ethernet cat6 SFTP 3 m * 1 HDMI Cable 2m Included Note: -All Items brand name 1 Year Full WarrantyAll Parts Brand Name الضمانة لمدة 1 سنوات شاملة القطع : ملاحظات هامة	عدد	4		
22	label Printer	Brand Name Label Printer GENERAL Printing Technology : Thermal Print Speed (maximum) : 8 inches per second (200 mm/s) Print Width (maximum) : 4 inches (104 mm) Media Width (min to max) : 1 to 4 inches (25 to 118 mm) Media Thickness (min to max) : 63.5 to 190 µm Flash (Non-Volatile Memory) : 16 MB total, 4MB available for user Drivers and software : Free-of-charge on CD with printer, including support for various platforms RAM (standard Memory) : 32MB total, 4 MB available for user Barcodes : UCC/EAN, Composit Symb, GS1-Databar, QR Code, PDF 417, CODABAR(NW-7), CODE128, CODE93 CODE39,Codabar, ITF, EAN-8(JAN-8), EAN-13 (JAN-13) UPC-E, UPC-A, Code3of9, Number of Cuts : 300,000 cuts on media 0.06-0.15mm; 100,000 cuts 0.15-0.25mm Pause after printing for tearing : Yes Resolution : 203 dpi Main Interface : Triple interface USB 2.0, RS-232 and 10/100 Ethernet Added : Label Role Label size : (5*2.5) cm, included 30 Role Included: CD Driver Cable Network cat 6A S/sftp 2m USB printer Cable 2m Warranty: 1 Year full warranty	عدد	12		

No	Item	Specification	Unit	Qty	Price \$	T. Price\$
23	Network Printer	<p>Brand Name Network Laser Printer HP 404 N or eq Printer Type : Laser Function : Print Only Output capacity : Up to 150 sheets Maximum output capacity (sheets) : Up to 150 sheets Input capacity : Up to 350 sheets (Tray 1: up to 100 sheets; Tray 2: up to 250 sheets) Maximum input capacity (sheets) : Up to 900 sheets Display : 2-line backlit LCD graphic display Technology : Laser Number of print cartridges : 1 (black) Print speed : Print speeds up to 38/40 ppm (A4/Ltr). PRINT TIME First page out black (letter, ready) : As fast as 6.1 sec First page out black (A4, ready) : As fast as 6.3 sec First page out black (letter, sleep) : As fast as 8.6 sec Duty cycle (monthly, letter) : Up to 80,000 pages CONNECTIVITY AND COMMUNICATIONS Connectivity, standard : 1 Hi-Speed USB 2.0; 1 host USB at rear side;Gigabit Ethernet 10/100/1000BASE-T network Processor speed : 1200 MHz Memory : 256 MB Included: CD Driver Cable Network cat 6A S/sftp 3m USB printer Cable 2m One Year Warranty</p>	عدد	2		
24	Lan tester	RJ45/RJ11/RJ12 LAN Crossover Network / Telephone Cable Tester (according to sample)	عدد	20		
25	RJ45 Punch Down krone tool	Original punch down tool (according to sample)	عدد	20		
26	RJ male Cat7	RJ male for cable cat7	عدد	500		
27	RJ male Cat5	RJ male Cat5	عدد	10000		
28	RJ45 female	RJ45 female cat 6A	عدد	100		
29	Crimping tool for RJ45,RJ12	Brand name crimping tool according to sample	عدد	15		

إقرار والتزام

أقر أنا الموقع أدناه _____ هوية رقم _____
بصفتي ممثلاً عن شركة _____ بالتالي:.

1. بأني قرأت وتفهمت كافة ما ورد بوثائق العطاء المطروح رقم 2020/106 من شروط عامة وخاصة ومواصفات وألتزم التزاماً قانونياً بتلك الشروط والمواصفات.
2. كما ألتزم بأن يبقى العرض المقدم مني ساري المفعول ولا يجوز لي الرجوع عنه لمدة ستين يوماً من تاريخ آخر موعد لتقديم العروض.
3. وكذلك ألتزم بتوريد الأصناف المحالة على بموجب العطاء المذكور أعلاه والتي يتم طلبها من قبل الوزارة المعنية خلال 60 يوم وذلك من تاريخ توقيع العقد واستلام أوامر التوريد على أن تكون تلك الأصناف الموردة من قبلي وفقاً للمواصفات والشروط المنصوص عليها في هذا العطاء.
وهذا إقرار وتعهد مني بذلك أقر وألتزم بكل ما ورد به دون أي ضغط أو إكراه.

اسم المناقص: _____
رقم المشتغل المرخص: _____
العنوان: _____
رقم الجوال: _____
رقم الهاتف: _____
رقم الفاكس: _____
التاريخ: _____